



Authorized distributor



A SMARTER, SAFER APPROACH TO ACID ADJUSTMENT




See the eye-opening benefits of the **Acid-Rite® 2500 Water pH Adjustment System**

- Sodium bisulfate tablets
- Enhances chlorine efficacy in water
- Low odor
- Low maintenance
- Controllable adjustment
- NSF Standard 50 Certified



The **Acid-Rite pH Adjustment System** is a simple, safer and effective alternative to bulky liquid acid systems. Utilizing **red Acid-Rite sodium bisulfate tablets**, the feeder system fits easily into pump rooms making it a convenient and more manageable option for acid adjustment.

ACID-RITE® WATER ADJUSTMENT SYSTEM INSTALLATION AND SPECIFICATION



Pool Size

- Outside: 114,000 to 1,330,000 litres / 30,000 to 350,000 gallons
- Inside: 114,000 to 3,800,000 litres / 30,000 to 1,000,000 gallons

Acid-Rite Tablets

- 99.97% Sodium Bisulfate
- 3-inch diameter (200 grams)
- Red color for safety
- 45-lb / 20,45 kg pails





Acid-Rite Unit Size

- Footprint: 81 cm/32" length x 56 cm/22" width x 128 cm / 50.5" height
- Flow Rate: 0 - 10 GPM
- Up to 8 lbs. / hr Sodium Bisulfate
- Supply/Discharge Pipe Size: 2.54 cm / 1"



No metering. No mixing. No contest.

Lightens the load on pool operators from safety, handling and maintenance, to creating a pleasant workplace environment. See for yourself

Safety 	Handling 	Maintenance 	Material Compatibility and Corrosivity 
Solid chemical made of sodium bisulfate with no dual containment.	Easier to handle 20.45 kg. resealable pails.	Acid feeders rarely require cleaning or maintenance; no small tubing that can kink and crack.	Tablets have low odor and are red in color to help eliminate inadvertent mixing of chemicals.
Strong odor/ fuming; potential liquid spills.	205 L. drums weigh more than 240 kg.	Feed pumps need frequent repair and tubing can leak.	Strong corrosive liquid with strong noticeable odor; leaking tubes or feed pumps can attack equipment room.
Bags are difficult to cut and empty; powder can accumulate on surfaces.	25 kg. bags are awkward and difficult to handle, not resealable.	Feed pumps need constant repair and tubes plug regularly; mixing motors fail.	Powdered acid and leaking tubes can attack mixing motors and equipment.



Muriatic Acid



Granular Sodium Bisulfate